



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/667,742	09/22/2000	Charles Cameron Brackett	15-UL-5580	9983

7590 02/23/2011
Dennis M. Flaherty, Esq.
Ostrager Chong Flaherty & Broitman P.C.
570 Lexington Avenue
New York, NY 10022-6894

EXAMINER

HENEGHAN, MATTHEW E

ART UNIT	PAPER NUMBER
----------	--------------

2134

MAIL DATE	DELIVERY MODE
-----------	---------------

02/23/2011

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Art Unit: 2431



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMUNICATIONS FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. Box 1450
ALEXANDRIA, VA 22310-1450
www.uspto.gov

Dennis M. Flaherty
Ostrager Chong Flaherty & Broitman P.C.
570 Lexington Avenue
New York, NY 10022-6894

In Re Application of: Charles Cameron Brackett et al)
Application No.: 09/667,742) Petition under 37 CFR 1.48(a)
Attorney Docket No.: 15-UL-5580)
Filed: September 22, 2000)
For: Ultrasound Imaging System Having Computer)
Virus Protection)

In view of the papers filed February 26, 2001, it has been found that this nonprovisional application, as filed, through error and without deceptive intent, improperly set forth the inventorship, and accordingly, this application has been corrected in compliance with 37 CFR 1.48(a). The inventorship of this application has been changed by the addition of the name Larry Y.L. Mo, such that the current inventorship is now Charles Cameron Brackett and Larry Y.L. Mo.

The petition has been **Granted**.

The application will be forwarded to the Office of Initial Patent Examination (OIPE) for issuance of a corrected filing receipt, and correction of Office records to reflect the inventorship as corrected.

Inquiries to this decision may be made to Primary Examiner Christopher Revak at (571) 272-3794.

Christopher Revak
Primary Examiner
Technology Center 2400

/Christopher Revak/
February 22, 2011